



F / G. 1



09748288-122700

F I G. 2



09748226.122704

F / G. 3

RECOGNITION RULE

FBM-A : 8×8bits  
FBM-B : 1×32bits  
FBM-C : 32×1bits


A-Block-Fail : ← 14  
ScanFBM : FBM-A ← 15  
ScanNo : 1 ← 16  
FailSize : 32×32bits ← 17  
Cross : OK ← 19  
FailRate : 100% ← 18  
ScanSize : 32×32bits ← 20  
FBM-CompRule :


NORMAL : FBM-B(0.75~1.25)/FBM-C(0.75~1.25)  
X-line : FBM-B(0~0.5)/FBM-C(0.75~1.25)  
Y-line : FBM-B(0.75~1.25)/FBM-C(0~0.5)


B-Line-Fail :  
ScanFBM : FBM-B  
ScanNo : 2  
FailSize : 1×32bits  
Cross : None  
FailRate : 75%  
ScanSize : 1×16bits

•  
•  
•

卷之三









F / G, 7A

25A




F / G, 7B

25B




F / G, 7C

25C



F / G. 8



09748226, 123704

F / G. 9

RECOGNITION RULE

CompressRATE :  $8 \times 8\text{bits} \leftarrow 26$

FBM-A : 1bits )  $\leftarrow 27$   
FBM-B : 5bits )

A-Line-Fail :  $\leftarrow 14$

ScanFBM : FBM-A  $\leftarrow 15$

ScanNo : 1  $\leftarrow 16$

FailSize :  $8 \times 32\text{bits} \leftarrow 17$

Cross : NONE  $\leftarrow 19$

FailRate : 100%  $\leftarrow 18$

ScanSize :  $8 \times 32\text{bits} \leftarrow 20$

FBM-CompRule :

NORMAL : FBM-B(0.75~1.25) )  $\leftarrow 21$   
NOT RECOGNIZE : FBM-D(0~0.5)

B-Line-Fail :

ScanFBM : FBM-B

ScanNo : 2

FailSize :  $1 \times 32\text{bits}$

Cross : None

FailRate : 75%

ScanSize :  $1 \times 16\text{bits}$

•

•

•

09/24/2028 12:27:00

FIG. 10A




FIG. 10B




FIG. 11A




FIG. 11B




FIG. 12A






FIG. 12B



09748228, 122700

FIG. 13



00/231-82384/60

FIG. 14

RECOGNITION RULE

FBM-A :

    CompressRATE : 8×8bits  
    CompressThreshold : 1bit

FBM-B :

    CompressRATE : 1×32bits  
    CompressThreshold : 1bit

FBM-C :

    CompressRATE : 32×1bits  
    CompressThreshold : 1bit

FBM-D :

    CompressRATE : 8×8bits  
    CompressThreshold : 8bit

31

A-Block-Fail : <--14

    ScanFBM : FBM-A<--15

    ScanNo : 1<--16

    FailSize : 32×32bits<--17

    Cross : OK<--18

    FailRate : 100%<--19

    ScanSize : 32×32bits<--20

FBM-CompRule :

    NORMAL : FBM-B(0.75~1.25)/FBM-C(0.75~1.25)/FBM-D(0.75~1.25)

    X-line : FBM-B(0~0.5)/FBM-C(0.75~1.25)

    Y-line : FBM-B(0.75~1.25)/FBM-C(0~0.5)

    NOT RECOGNIZE : FBM-D(0~0.5)

21

B-Line-Fail :

    ScanFBM : FBM-B

    ScanNo : 2

    FailSize : 1×32bits

    Cross : None

    FailRate : 75%

    ScanSize : 1×16bits

•

•

•

FIG. 15A




FIG. 15A





FIG. 16



09748228-122750


FIG. 17A

8	0	0	0
8	0	0	0
8	0	0	0
8	0	0	0


FIG. 17B

1	0	0	0
1	0	0	0
1	0	0	0
2	0	0	0


FIG. 18



F I G. 19




F I G. 20



05748228-122700


FIG. 21

50




09748228.122700

FIG. 22



09746228, 122700


FIG. 23



0974828.122700

FIG. 24


51



09746228.122700


FIG. 25

50A




09748226.122701

F / G. 26



002221 02284260


FIG. 27



09748226.122700


F / G. 28

60



201372US2-22497690

F / G. 29



09748228.122700

F I G. 30






FIG. 31

61



097148228 122700

FIG. 32



09748228.122700

FIG. 33






FIG. 34

70




09748228.122706

F / G. 35



09748228.122706

F / G. 36



09746226,122700

F / G. 37






FIG. 38



09748228-122700


F / G. 39

71




09749228.122760

FIG. 40



F / G. 41


72



09748228, 122700


FIG. 42

73



007231.82284760


F / G. 43



09748228, 122700


F / G. 44

74




09746228.122766

F / G. 45




09746228.122700

FIG. 46




09748226.122706

FIG. 47



09748228,122700


*FIG. 48*




09718228.122706

COOLANT 8228H/60


F / G. 49



F / G. 50



F / G. 51



F / G. 52




FIG. 53




FIG. 54





FIG. 55



00224782284760

FIG. 56 (BACKGROUND ART)




FIG. 57 (BACKGROUND ART)





FIG. 58 (BACKGROUND ART)



0002231-92264769